



ELEVATION

STANDARD BRANCH AROUND AN OBSTRUCTION

IO INTERFACE METHOD SHOWN

NOTES

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. LOCATE INSPECTION OPENINGS IN ACCORDANCE WITH DESIGN DRAWINGS OR WATER AGENCY REQUIREMENTS.
3. ALL CONNECTION TYPES SHOWN IN THIS DRAWING ARE APPLICABLE TO VC AND PVC (RRJ) PIPES.
4. LOCATION, INSPECTION OPENING (IO) COVER, FRAME & SUPPORT SLAB AS SPECIFIED BY WATER AGENCY.
5. PROPERTY CONNECTION TO BE DN 150 WITH A GRADE NOT LESS THAN 1.2%.

Armidale <i>Dept of Public Infrastructure</i> Regional Council	SCALES NTS	APPROVED D. MAUNDER MANAGER ENGINEERING AND STANDARDS SUPPORT	31/08/2016 DATE	SHEET 1 OF 1
	PROPERTY SEWER CONNECTION DETAILS AROUND OBSTRUCTIONS	SURV DRWN JB DES CHKD MW	AS SHEET SIZE A3	DRAWING No 010-049
		CADFILE 010-049.dwg		DATE 31/08/2016